

## Fast Facts

### Over-the-Counter Medicines

<b>Symptoms</b>	<b>Generic</b>	<b>Brand</b>	<b>Notes</b>
Fever	1. acetaminophen 2. ibuprofen	1. Tylenol 2. Motrin/Advil	
Pain	1. acetaminophen 2. ibuprofen 3. naproxen	1. Tylenol 2. Motrin/Advil* 3. Aleve*	*NSAIDs can increase risk of bleeding/kidney disease
Cough	1. guaifenesin 2. dextromethorphan	1. Mucinex 2. Delsym/Robitussin/Benylin/Vicks44	1. Breaks up mucus 2. Suppresses urge to cough
Decongestant (oral)	1. pseudophedrine 2. phenylephrine	1. Sudafed/Contact Non-Drowsy 2. Sudafed PE	
Decongestant (nasal spray)	1. oxymetazoline 2. phenylephrine	1. Afrin/Neo-Synephrine Night Time/Sinex 2. Neo-Synephrine, Sinex Capsules	Nasal spray decongestants can cause rebound effect (symptoms get worse) if they are used longer than 3-5 days
Allergies	1. diphenhydramine 2. chlorpheniramine 3. brompheniramine 4. clemastine 5. loratadine 6. fexofenadine 7. cetirizine	1. Benadryl* 2. Chlor-Trimeton* 3. Dimetapp* 4. Tasvist* 5. Alavert/Claritin/Dimetapp ND 6. Allegra 7. Zyrtec	*These can cause drowsiness/sleepiness. This group of medications are antihistamines.
Antacids	1. ranitidine 2. cimetidine 3. calcium carbonate/magnesium hydroxide 4. magnesium hydroxide/aluminum hydroxide/simethicone 5. aluminum hydroxide/magnesium carbonate 6. bismuth subsalicylate	1. Zantac 2. Tagamet 3. Rolaids 4. Maalox* 5. Gaviscon 6. Pepto-Bismol/Kaopectate	*This formula is used for indigestion/heartburn/upset stomach/gas
Nausea/Vomiting	1. bismuth subsalicylate 2. Replacement liquids	1. Emetrol/Pepto-Bismol/Kaopectate/Maalox Total Stomach Relief*	*This formula is used for all of the same as

		2. Enfalyte/Pedialyte (rehydration)	the regular formula and nausea
Diarrhea	1. loperamide 2. bismuth subsalicylate 3. enfalyte	1. Imodium* 2. Emetrol/Pepto-Bismol/Kaopectate 3. Pedialyte (rehydration)	*Can worsen diarrhea if cause is infection
Gas	1. simethicone 2. bismuth subsalicylate	1. Gas-X 2. Emetrol/Pepto-Bismol/Kaopectate/Maalox Total Stomach Relief*	*This formula is used for all of the same as the regular formula and indigestion
Constipation	1. docusate sodium 2. bisacodyl	1. Colace (stool softner) 2. Dulcolax (laxative)	
Motion Sickness	1. dimenhydriante 2. meclizine	1. Dramamine 2. Bonnie/Antivert/Postafen/Sea Legs	
Rashes/Itching	1. hydrocortisone cream	1. Cortaid/Cortizone 10	Oral antihistamines can be used as well.
Diaper Rash/ Athlete's Foot/ Jock Itch/ Ringworm/ Thrush/ Yeast Infection*	1. nystatin 2. miconazole 3. clotrimazole 4. ketoconazole 5. phenazopyridine hydrochloride	1. Mycostatin/Nyamyc/Pedi-Dri/Nystop 2. Monistat/Desenex 3. Canesten/Desenex/Lotrimin 4. Nizoral/Xolegel/Extina 5. Azo	*All of these are antifungal infections.
Migraine	1. Aspirin/ acetaminophen/ caffeine	1. Excedrin	
Period Cramping	1. acetaminophen/ caffeine/ pyrilamine maleate (antihistamine)	1. Midol	
Mouth Pain	1. benzocaine	1. Orajel	
Infection Prevention	1. bacitracin/ neomycin/ polymixin B	1. Neosporin (triple antibiotic ointment)*	*Also comes in a topical spray.
<b>Special Note:</b> Certain medications contain the active ingredients from other medications combined. Some examples of this are <b>DayQuil</b> , <b>NyQuil</b> , and <b>Theraflu</b> . The most important thing to remember while taking these medications is to not take other medicines with the same active ingredients. Always read the labels!			

©2017 Demystifying Your Health. All rights reserved.

Demystifying Your Health does not provide medical advice, diagnosis or treatment.